

Münchener Weg 1 • 85232 Bergkirchen • Germany



## Packing Slip MP22018966

**FRA UPS Standard - 1-2 Days**


Université Paris Saclay  
 Laboratoire de Physique des 2 Infinis Irène Joliot  
 Rue Ampère  
 UMR 9012- Bâtiment 200-  
 91898 ORSAY CEDEX  
 Frankreich

**Attention:** Aurélien Martens  
 Phone: +33 5 40 54 41 40

Date: 10/03/2021  
 Sales Order: MS3647220  
 Payment Terms: Net 60 days  
 Sales Contact: Valérie Coatleven  
 Mode of Delivery: FRA UPS Standard - 1-2 Days  
 Terms of Delivery: Delivered At Place  
 Invoice Account: 336969  
 Customer Account: 336969

Carrier Account #: 1234567789

**Your Reference: 00030856**



Item# / Description	Qty Ordered	UOM	Qty Delivered
<b>AD11NT</b> 11mm Collimation to 1" Adapter <b>Quantity : 1.00 Location : 00-18-99-08</b> Net Weight: 0.0141 kg Land/Region USA Herkunfts-Bundesland NJ RoHS: A(compliant EU 2015/863)	1.00	pcs	1.00
<b>ADAF3</b> FC/APC to FC/APC Adapter, Tight Key (2.0mm) Ceramic Sleeve <b>Quantity : 3.00 Location : 00-13-99-08</b> Net Weight: 0.0104 kg Land/Region CHN RoHS: A(compliant EU 2015/863)	3.00	pcs	3.00
<b>BE1/M</b> 6790-001 Rev B, Pedestal Base Adapter <b>Quantity : 2.00 Location : 00-22-06-06</b> Net Weight: 0.0304 kg Land/Region USA Herkunfts-Bundesland NJ RoHS: A(compliant EU 2015/863)	2.00	pcs	2.00
<b>CF038-P5</b> Compact clamping fork, 0.375in slot, pack of 5 <b>Quantity : 1.00 Location : 13-13-06-06</b> Net Weight: 0.1452 kg Land/Region USA Herkunfts-Bundesland NJ RoHS: A (compliant 2011/65/EU)	1.00	pcs	1.00
<b>CF125-P5</b> Small Univ. Clamping Fork. 1.24" counterbored slot, 5 pack <b>Quantity : 8.00 Location : 00-17-00-04</b> Net Weight: 0.3524 kg Land/Region USA Herkunfts-Bundesland NJ RoHS: A(compliant EU 2015/863)	8.00	pcs	8.00





Item# / Description	Qty Ordered	UOM	Qty Delivered
<b>FMP1/M</b> Metric 1" Fixed Mirror Holder <b>Quantity : 1.00 Location : 00-20-06-06</b> Net Weight: 0.0077 kg Land/Region USA Herkunfts-Bundesland NJ RoHS: A(compliant EU 2015/863)	1.00	pcs	1.00
<b>KM05FL/M</b> Left Handed Front Rear Loaded Mirror Mount <b>Quantity : 3.00 Location : 16-17-09-20</b> Net Weight: 0.0204 kg Land/Region USA Herkunfts-Bundesland NJ RoHS: A (compliant 2011/65/EU)	3.00	pcs	3.00
<b>KM05FR/M</b> Right Handed Front Rear Loaded Mirror Mount <b>Quantity : 4.00 Location : 11-57-00-04</b> Net Weight: 0.0204 kg Land/Region USA Herkunfts-Bundesland NJ RoHS: A (compliant 2011/65/EU)	4.00	pcs	4.00
<b>KM1CE</b> Ø1" Clear Edge Kinematic Mirror Mount <b>Quantity : 1.00 Location : 14-70-12-20</b> Net Weight: 0.0739 kg Land/Region USA Herkunfts-Bundesland NJ RoHS: A (compliant 2011/65/EU)	1.00	pcs	1.00
<b>PBG4560A</b> 56 x 71 x 8 cm @ 14 kg <b>Quantity : 1.00 Location : 80-20-06-04 Serial Number : SN1038108</b> Net Weight: 7.9000 kg Land/Region GBR Herkunfts-Bundesland Camba RoHS: Compliant	1.00	pcs	1.00
<b>PH30/M-P5</b> 30mm Metric Post Holder Pack of 5 <b>Quantity : 1.00 Location : 00-21-06-08</b> Net Weight: 0.1991 kg Land/Region USA Herkunfts-Bundesland NJ RoHS: A(compliant EU 2015/863)	1.00	pcs	1.00
<b>RS075P4M</b> Ø1.0" X 19.0 mm Pedestal Pillar Post, M4 x 0.7 <b>Quantity : 2.00 Location : 13-13-00-06</b> Net Weight: 0.0794 kg Land/Region DEU Herkunfts-Bundesland BW RoHS: A(compliant EU 2015/863)	2.00	pcs	2.00



Item# / Description	Qty Ordered	UOM	Qty Delivered
<b>RS1.5P/M</b> 12895-001 Rev A, Pedestal Pillar Post, 38mm <b>Quantity : 4.00 Location : 13-57-00-02</b> Net Weight: 0.1529 kg Land/Region DEU Herkunfts-Bundesland BW RoHS: A(compliant EU 2015/863)	4.00	pcs	4.00
<b>RS1.5P4M</b> Ø25.0mm X 50.0 mm Pedestal Pillar Post, M4 x 0.7 <b>Quantity : 11.00 Location : 00-22-06-06</b> Net Weight: 0.1556 kg Land/Region DEU Herkunfts-Bundesland BW RoHS: A(compliant EU 2015/863)	11.00	pcs	11.00
<b>RS1M</b> RS Series Spacer, 1mm <b>Quantity : 5.00 Location : 16-72-06-14</b> Net Weight: 0.0123 kg Land/Region USA RoHS: A(compliant EU 2015/863)	5.00	pcs	5.00
<b>RS1P/M</b> 6605-001 Rev B, Pedestal Pillar Post , 1 inch <b>Quantity : 4.00 Location : 00-12-06-04</b> Net Weight: 0.1039 kg Land/Region DEU Herkunfts-Bundesland BW RoHS: A(compliant EU 2015/863)	4.00	pcs	4.00
<b>RS2M</b> RS Series Spacer, 2mm <b>Quantity : 3.00 Location : 00-18-06-06</b> Net Weight: 0.0213 kg Land/Region USA RoHS: A(compliant EU 2015/863)	3.00	pcs	3.00
<b>RS2P4M</b> Ø25.0mm X 50.0 mm Pedestal Pillar Post, M4 x 0.7 <b>Quantity : 9.00 Location : 00-17-06-08</b> Net Weight: 0.2009 kg Land/Region DEU Herkunfts-Bundesland BW RoHS: A(compliant EU 2015/863)	9.00	pcs	9.00
<b>RS4M</b> RS Series Spacer, 4mm <b>Quantity : 7.00 Location : 12-53-03-02</b> Net Weight: 0.0231 kg Land/Region USA RoHS: A(compliant EU 2015/863)	7.00	pcs	7.00
<b>SM1M15</b> SM1 Lens Tube Sleeve 1.5" Long <b>Quantity : 1.00 Location : 14-72-03-16</b> Net Weight: 0.0177 kg Land/Region USA Herkunfts-Bundesland NJ RoHS: A(compliant EU 2015/863)	1.00	pcs	1.00



Item# / Description	Qty Ordered	UOM	Qty Delivered
<b>SM1RC/M</b> SM1 Series Slim Slip Ring <b>Quantity : 1.00 Location : 00-17-99-02</b> Net Weight: 0.0195 kg Land/Region USA Herkunfts-Bundesland NJ RoHS: A(compliant EU 2015/863)	1.00	pcs	1.00
<b>SM1ZM</b> Non Rotating Adjustable SM1 Lens Tube <b>Quantity : 3.00 Location : 16-14-09-06</b> Net Weight: 0.0676 kg Land/Region USA Herkunfts-Bundesland NJ RoHS: A(compliant EU 2015/863)	3.00	pcs	3.00
<b>TR30/M-P5</b> 12.7mm Dia . 30mm Long: Pack of 5 Post <b>Quantity : 1.00 Location : 00-20-06-04</b> Net Weight: 0.1293 kg Land/Region FRA RoHS: A(compliant EU 2015/863)	1.00	pcs	1.00
<b>BSW05</b> Ø1/2" 50:50 UVFS Plate Beamsplitter,700-1100nm, t=3mm <b>Quantity : 2.00 Location : 15-13-04-36</b> Net Weight: 0.0177 kg Land/Region USA Herkunfts-Bundesland PA RoHS: A(compliant EU 2015/863)	2.00	pcs	2.00
<b>BSX05</b> Ø1/2" 90:10 (R:T) UVFS Plate Beamsplitter, 700-1100nm, t=3mm <b>Quantity : 1.00 Location : 15-11-18-01</b> Net Weight: 0.0141 kg Land/Region USA Herkunfts-Bundesland NJ RoHS: A(compliant EU 2015/863)	1.00	pcs	1.00
<b>DET08CL/M</b> InGaAs Detector, 800-1800nm, 0.8um, Lens, Metric <b>Quantity : 2.00 Location : 13-70-12-06</b> Net Weight: 0.1393 kg Land/Region USA Herkunfts-Bundesland NJ RoHS: Compliant	2.00	pcs	2.00

**Items Not Included with This Shipment**

Item #	Qty Remaining	Ship Date
<b>ADAFCPMB3</b> FC/PC to FC/PC or FC/APC to FC/APC Dual L-Bracket Mating Sleeve, Wide Precision Key (2.2mm)	1.00	18/03/2021
<b>BFCT</b> Passive Component Fiber Tray	3.00	18/03/2021
<b>DMM1/M</b> Metric 1" D-Mirror Mount	1.00	18/03/2021
<b>PBG6090A</b> 71 x 101 x 17 cm @ 27 kg	1.00	15/04/2021
<b>RS10M</b> RS Series Spacer, 10mm	5.00	10/03/2021
<b>RS5M</b> RS Series Spacer, 5mm	5.00	18/03/2021
<b>RS6M</b> RS Series Spacer, 6mm	7.00	15/03/2021
<b>RS7M</b> RS Series Spacer, 7mm	5.00	16/03/2021
<b>BBD1-E03</b> 25.4mm E03 coated " D" shaped mirror	1.00	18/03/2021
<b>BSN05</b> Ø1/2" 10:90 (R:T) UVFS Plate Beamsplitter, 700-1100nm, t=3mm	1.00	18/03/2021
<b>FPC024</b> Fiber Polarization Controller, 2 Paddles, HI1060, FC/APC	2.00	19/03/2021
<b>PFC1064A</b> All Fiber Polarization Combiner, PM, 1064nm, FC/APC	1.00	17/03/2021
<b>PS875-B</b> Mounted Prism Pair, B Coated, Mag: 2.0, Offset 3.9 mm	1.00	19/03/2021

Posted: 10/03/2021 10:19

Order Packed by: M829

Packed by: \_\_\_\_\_

US Export Administration Regulations and European Export Laws may apply to the sale, destination and end use of these items and any related technical data. Any diversion contrary to US and European export control regulations is strictly prohibited: [www.bis.doc.gov](http://www.bis.doc.gov)

**Certificate of Conformance**

Thorlabs hereby certifies that all articles, materials, products, equipment, and assembled services listed in this document, and furnished pursuant to the indicated purchase order, have been produced, assembled, inspected and tested in full accordance with all published Thorlabs specifications, standards and criteria. No further warranties or certifications are implied by issue of this document.